

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼 / 受理編號 : CI3B7062010211
Certificate No / Application No.

商品標籤及商品檢驗標識 : 如附件
Product Label and Commodity Inspection Mark.

樣張及其標示位置 : 如附件
Sample and its location

設備名稱 : 隱型吊扇, 型號 (型式) : FOE-42YY-04...請見系列一覽表 Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻Hexavalent chromium (Cr ⁺⁶)	多溴聯苯Polybrominated biphenyls (PBB)	多溴二苯醚Polybrominated diphenyl ethers (PBDE)
風扇	○	○	○	○	○	○
電機	○	○	○	○	○	○
驅動器電路板	○	○	○	○	○	○
Led 晶粒	○	○	○	○	○	○
燈殼	○	○	○	○	○	○
<p>備考1. "超出0.1 wt %" 及 "超出0.01 wt %" 係指限用物質之百分比含量超出百分比含量基準值。 Note 1 : "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.</p> <p>備考2. "○" 係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2 : "○" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.</p> <p>備考3. "—" 係指該項限用物質為排除項目。 Note 3 : The "--" indicates that the restricted substance corresponds to the exemption.</p>						

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施, 並備置前述相關文件, 確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需, 依商品檢驗法第49條之規定, 於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that "the presence conditions of the restricted substance" provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities. 此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人: 鈞鴻光電股份有限公司
Applicant

負責人: 吳素華
Person in charge



(簽章)
(Signature)

中華民國 108 年 6 月 28 日
DATE (year) (month) (day)

風扇燈差異尺寸與重量








	型號	燈罩尺寸(cm)	燈具功率	燈罩材質	產品重量 (KG)	图片
1	FOE-42YY-04	W49*H8	AC 100V~240V 60Hz 36W	鐵+壓克力	13.00	
2	FOE-42YY-0415B	W52*H10	AC 100V~240V 60Hz 36W	鐵+壓克力	12.16	
3	FOE-42YY-0415	W52*H10	AC 100V~240V 60Hz 36W	鐵+壓克力	12.16	
4	FOE-42YY-0416B	W51.5*H6.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.25	
5	FOE-42YY-0417	W50.5*H5.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.05	
6	FOE-42YY-0439	W49*H6.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.01	

7	FOE-42YY-0469	W49*H6.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.01	
8	FOE-42YY-0449	W51.5*H8	AC 100V~240V 60Hz 36W	鐵+壓克力	12.25	
9	FOE-42YY-051	W46*H6.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.75	
10	FOE-42YY-064	W49*H6.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.03	
11	FOE-42YY-089	W49*H9.5	AC 100V~240V 60Hz 36W	橡木+壓克力	12.15	
12	FOE-42YY-0838	W51*H18	AC 100V~240V 60Hz 36W	橡木+壓克力	13.85	
13	FOE-42YY-0839	W51.5*H15.5	AC 100V~240V 60Hz 36W	橡木+壓克力	13.45	

14	FOE-42YY-0843B	W51.5*H13	AC 100V~240V 60Hz 36W	橡木+壓克力	12.85	
15	FOE-42YY-081	W51.5*H13	AC 100V~240V 60Hz 36W	橡木+壓克力	12.85	
16	FOE-42YY-0423	W50*H 8	AC 100V~240V 60Hz 36W	鐵+樹脂	14.50	
17	FOE-42YY-0424	W48.5*H8	AC 100V~240V 60Hz 36W	鐵+樹脂	14.50	
18	FOE-42YY-1804	W48xH14.8	AC 100V~240V 60Hz 36W	鐵+壓克力+水晶	14.55	
19	FOE-42YY-1805	W48*H9	AC 100V~240V 60Hz 36W	鐵+壓克力+水晶	14.19	
20	FOE-42YY-B19411	W50*H6	AC 100V~240V 60Hz 36W	鐵+壓克力	12.81	
21	FOE-42YY-B19408	W48*H6.8	AC 100V~240V 60Hz 36W	鐵+壓克力	12.47	

22	FOE-42YY-N19643	W45*H17	AC 100V~240V 60Hz 36W	鐵+壓克力	13.15	
23	FOE-42YY-0116	W47*H5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.43	
24	FOE-42YY-011	W50*H7.5	AC 100V~240V 60Hz 36W	鐵+壓克力	12.39	
25	FOE-42YY-B19451	W51*H7	AC 100V~240V 60Hz 36W	壓克力	11.89	
26	FOE-42YY-1960	W48*H7.5	AC 100V~240V 60Hz 36W	壓克力	11.91	
27	FOE-42YY-B19420	W50*H10	AC 100V~240V 60Hz 36W	壓克力	11.91	
28	FOE-42YY-1858A	W50*H10	AC 100V~240V 60Hz 36W	壓克力	12.09	
29	FOE-42YY-N19642	W48*H4.5	AC 100V~240V 60Hz 36W	壓克力	11.33	

30	FOE-42YY-J19139	W48.5*H4.5	AC 100V~240V 60Hz 36W	壓克力	11.49	
31	FOE-42YY-J19132	W50*H7	AC 100V~240V 60Hz 36W	壓克力	11.57	
32	FOE-42YY-J19134	W49*H5	AC 100V~240V 60Hz 36W	鐵+壓克力	11.66	
33	FOE-42YY-J19137	W51.5*H7	AC 100V~240V 60Hz 36W	壓克力	11.87	
34	FOE-42YY-J19129	W50*H10	AC 100V~240V 60Hz 36W	壓克力	11.72	
35	FOE-42YY-N19639	W48.5*H4.5	AC 100V~240V 60Hz 36W	壓克力	11.49	
36	FOE-42YY-0446	W50*H8	AC 100V~240V 60Hz 36W	鐵+壓克力	11.31	

37	FOE-42YY-0445	W50*H5	AC 100V~240V 60Hz 36W	鐵+壓克力	11.54	
38	FOE-42YY-J19136	W48.5*H5	AC 100V~240V 60Hz 36W	壓克力	11.58	
39	FOE-42YY-0439A	W49*H5	AC 100V~240V 60Hz 36W	壓克力	11.33	
40	FOE-42YY-1858	W50*H10	AC 100V~240V 60Hz 36W	壓克力	12.09	
41	FOE-42YY-1848	W48*H5	AC 100V~240V 60Hz 36W	壓克力	11.33	
42	FOE-42YY-B19436	W49*H7	AC 100V~240V 60Hz 36W	壓克力	11.89	
43	FOE-42YY-K19750	W50*H5	AC 100V~240V 60Hz 36W	壓克力	11.66	

44	FOE-42YY-K19436	W49*H7	AC 100V~240V 60Hz 36W	壓克力	11.89	
45	FOE-SLF9011	W48*H6	AC100V-240V, 60Hz, 36W	鐵+PS版	13.50	
46	FOE-SLF9007	W48*H8	AC100V-240V, 60Hz, 36W	塑膠	13.50	
47	FOE-SLF9005	W48*H8	AC100V-240V, 60Hz, 36W	塑膠	14.00	
48	FOE-42YY-B19627	W49*H6.7	AC100V-240V, 60Hz, 36W	壓克力	11.46	
49	FOE-42YY-B19628	W50*H12	AC100V-240V, 60Hz, 36W	壓克力	11.69	