

# 限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼／受理編號：新申請

Certificate No./Application No.

商品標籤及商品檢驗標識：如附件

Product Label and Commodity Inspection Mark.

樣張及其標示位置：如附件

Sample and its location

設備名稱：隱型吊扇，型號（型式）：FOE-42YY-04-36W …請見系列一覽表 Equipment name		Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr <sup>+6</sup> )	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
LED模組	○	○	○	○	○	○
LED控制裝置	○	○	○	○	○	○
燈罩組件	○	○	○	○	○	○
外框組件	○	○	○	○	○	○
馬達	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。  
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。  
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “—”係指該項限用物質為排除項目。  
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需，依商品檢驗法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities. 此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人： 鈞鴻光電股份有限公司

Applicant

負責人： 吳素華

Person in charge

(簽章)

(Signature)

中華民國 109 年 4 月 15 日

DATE

(year)

(month)

(day)

編號	型號	燈罩尺寸 (cm)	燈具功率 /LED燈珠 數量	燈罩 材質	產品 重量 (KG)	圖片
1	FOE-42YY-04-36 W (主型號) (測試型號)	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	11.50	
2	FOE-42YY-0415B- 36W	W52*H10	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.16	
3	FOE-42YY-0415-3 6W	W52*H10	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.16	
4	FOE-42YY-0416B- 36W	W51.5*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.25	

5	FOE-42YY-0417-3 6W	W50.5*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.05	
6	FOE-42YY-0439-3 6W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.01	
7	FOE-42YY-0469-3 6W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.01	
8	FOE-42YY-0449-3 6W	W51.5*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.25	
9	FOE-42YY-051-36 W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.75	

10	FOE-42YY-064-36 W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.03	
11	FOE-42YY-1804-3 6W	W49xH14. 8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力+ 水晶	14.55	
12	FOE-42YY-1805-3 6W	W49*H9	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力+ 水晶	14.19	
13	FOE-42YY-B1941 1-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.81	
14	FOE-42YY-B1940 8-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.47	
15	FOE-42YY-0116-3 6W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.43	

16	FOE-42YY-011-36 W	W50*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	12.39	
17	FOE-42YY-B1945 1-36W	W51*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.89	
18	FOE-42YY-1960-3 6W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.91	
19	FOE-42YY-B1942 0-36W	W50*H10	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.91	
20	FOE-42YY-1858A- 36W	W50*H10	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	12.09	





21	FOE-42YY-N1964 2-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.33	
22	FOE-42YY-J19139 -36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.49	
23	FOE-42YY-J19132 -36W	W50*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.57	
24	FOE-42YY-J19134 -36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	11.66	
25	FOE-42YY-N1963 9-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.49	

26	FOE-42YY-0446-3 6W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	11.31	
27	FOE-42YY-0445-3 6W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	11.54	
28	FOE-42YY-J19136 -36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克 力	11.58	
29	FOE-42YY-0439A- 36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克 力	11.33	
30	FOE-42YY-1858-3 6W	W50*H10	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克 力	12.09	






31	FOE-42YY-1848-3 6W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.33	
32	FOE-42YY-B1943 6-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.89	
33	FOE-42YY-K1975 0-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.66	
34	FOE-42YY-K1943 6-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.89	
35	FOE-SLF9007-36 W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	12.50	








36	FOE-42YY-B1962 7-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.46	
37	FOE-42YY-B1962 8-36W	W50*H12	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.69	
38	FOE-42YY-YT195 5J-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	10.50	
39	FOE-42YY-YT194 1J-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	鐵+壓 克力	10.60	
40	FOE-42YY-YT195 8B-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	10.50	

41	FOE-42YY-YT194 7B-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.60	
42	FOE-42YY-FB000 1-36W	W52*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.60	
43	FOE-42YY-FB000 2-36W	W51*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.80	
44	FOE-42YY-FB000 3-36W	W52*H11	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.60	
45	FOE-42YY-FB000 4-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.30	
46	FOE-42YY-FB000 5-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.30	






47	FOE-42YY-YT195 5Y-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.50	
48	FOE-42YY-FB000 6-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.40	
49	FOE-42YY-FB000 7-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.40	
50	FOE-42YY-FB000 8-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.40	
51	FOE-42YY-FB000 9-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.60	

52	FOE-42YY-FB001 0-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	10.60	
53	FOE-42YY-FB003 1-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.76	
54	FOE-42YY-FB003 2-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.26	
55	FOE-42YY-FB003 3-36W	W50*H10	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.58	
56	FOE-42YY-FB003 4-36W	W49*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	





57	FOE-42YY-FB003 5-36W	W50*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.32	
58	FOE-42YY-FB003 6-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.33	
59	FOE-42YY-FB003 7-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.38	
60	FOE-42YY-FB003 8-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.38	
61	FOE-42YY-FB003 9-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.38	






62	FOE-42YY-FB004 0-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.38	
63	FOE-42YY-FB004 1-36W	W49*H8	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.33	
64	FOE-42YY-FB004 2-36W	W50*H10. 5	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.93	
65	FOE-42YY-FB004 3-36W	W50*H10. 5	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.67	
66	FOE-42YY-FB004 4-36W	W50*H10. 5	36W / 48顆 (驅動器型 號 SST-36W60 0-PFCI-K1B )	壓克 力	11.67	

67	FOE-42YY-FB004 5-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.50	
68	FOE-42YY-FB004 6-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
69	FOE-42YY-FB004 7-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
70	FOE-42YY-FB004 8-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
71	FOE-42YY-FB004 9-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	

72	FOE-42YY-FB005 0-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
73	FOE-42YY-FB005 1-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
74	FOE-42YY-FB005 2-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
75	FOE-42YY-FB005 3-36W	W50*H8	36W / 48顆 (驅動器型號 SST-36W60 0-PFCI-K1B )	壓克力	11.30	
76	FOE-42YY-04-48 W (測試型號)	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	鐵+壓克力	11.50	



77	FOE-42YY-0415B-48W	W52*H10	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.16	
78	FOE-42YY-0415-48W	W52*H10	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.16	
79	FOE-42YY-0416B-48W	W51.5*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.25	
80	FOE-42YY-0417-48W	W50.5*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.05	

81	FOE-42YY-0439-4 8W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.01	
82	FOE-42YY-0469-4 8W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.01	
83	FOE-42YY-0449-4 8W	W51.5*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.25	
84	FOE-42YY-051-48 W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.75	
85	FOE-42YY-064-48 W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.03	

86	FOE-42YY-1804-4 8W	W49xH14. 8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力+ 水晶	14.55	
87	FOE-42YY-1805-4 8W	W49*H9	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力+ 水晶	14.19	
88	FOE-42YY-B1941 1-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.81	
89	FOE-42YY-B1940 8-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.47	

90	FOE-42YY-0116-4 8W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.43	
91	FOE-42YY-011-48 W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	12.39	
92	FOE-42YY-B1945 1-48W	W51*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.89	
93	FOE-42YY-1960-4 8W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.91	
94	FOE-42YY-B1942 0-48W	W50*H10	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.91	

95	FOE-42YY-1858A-48W	W50*H10	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	12.09	
96	FOE-42YY-N1964-2-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.33	
97	FOE-42YY-J19139-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.49	
98	FOE-42YY-J19132-48W	W50*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.57	
99	FOE-42YY-J19134-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	鐵+壓克力	11.66	

100	FOE-42YY-N1963 9-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.49	
101	FOE-42YY-0446-4 8W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	11.31	
102	FOE-42YY-0445-4 8W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	11.54	
103	FOE-42YY-J19136 -48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.58	
104	FOE-42YY-0439A- 48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.33	

105	FOE-42YY-1858-4 8W	W50*H10	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	12.09	
106	FOE-42YY-1848-4 8W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.33	
107	FOE-42YY-B1943 6-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.89	
108	FOE-42YY-K1975 0-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.66	
109	FOE-42YY-K1943 6-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.89	

110	FOE-SLF9007-48 W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	13.50	
111	FOE-42YY-B1962 7-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.46	
112	FOE-42YY-B1962 8-48W	W50*H12	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.69	
113	FOE-42YY-YT195 5J-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.50	
114	FOE-42YY-YT194 1J-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	鐵+壓 克力	10.60	



115	FOE-42YY-YT195 8B-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.50	
116	FOE-42YY-YT194 7B-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.60	
117	FOE-42YY-FB000 1-48W	W52*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.60	
118	FOE-42YY-FB000 2-48W	W51*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.80	
119	FOE-42YY-FB000 3-48W	W52*H11	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.60	




120	FOE-42YY-FB000 4-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.30	
121	FOE-42YY-FB000 5-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.30	
122	FOE-42YY-YT195 5Y-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.50	
123	FOE-42YY-FB000 6-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.40	
124	FOE-42YY-FB000 7-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	10.40	


125	FOE-42YY-FB000 8-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	10.40	
126	FOE-42YY-FB000 9-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	10.60	
127	FOE-42YY-FB001 0-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	10.60	
128	FOE-42YY-FB003 1-48W	W50*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.76	
129	FOE-42YY-FB003 2-48W	W50*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.26	

130	FOE-42YY-FB003 3-48W	W50*H10	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.58	
131	FOE-42YY-FB003 4-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.30	
132	FOE-42YY-FB003 5-48W	W50*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.32	
133	FOE-42YY-FB003 6-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.33	
134	FOE-42YY-FB003 7-48W	W49*H8	48W / 64顆 (驅動器型號 SST-48W60 0-PHCI-K1B )	壓克力	11.38	

135	FOE-42YY-FB003 8-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.38	
136	FOE-42YY-FB003 9-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.38	
137	FOE-42YY-FB004 0-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.38	
138	FOE-42YY-FB004 1-48W	W49*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.33	
139	FOE-42YY-FB004 2-48W	W50*H10. 5	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.93	

140	FOE-42YY-FB004 3-48W	W50*H10. 5	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.67	
141	FOE-42YY-FB004 4-48W	W50*H10. 5	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.67	
142	FOE-42YY-FB004 5-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.50	
143	FOE-42YY-FB004 6-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	
144	FOE-42YY-FB004 7-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	

145	FOE-42YY-FB004 8-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	
146	FOE-42YY-FB004 9-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	
147	FOE-42YY-FB005 0-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	
148	FOE-42YY-FB005 1-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	
149	FOE-42YY-FB005 2-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	

150	FOE-42YY-FB005 3-48W	W50*H8	48W / 64顆 (驅動器型 號 SST-48W60 0-PHCI-K1B )	壓克 力	11.30	
-----	-------------------------	--------	---	---------	-------	---